




TOOL HOLDER


TOOLING SYSTEMS




BMT 40




BMT 45



BMT 55




BMT 60




BMT 65



BMT 75




BMT 85



Trifix® 30



Trifix® 40



VDI30







VDI40



PRECI-FLEX®


INNOVATIVE TECHNOLOGIES

TECHNOLOGY OVERVIEW



INNOVATIVE DESIGNS

TAPERED ROLLER BEARINGS




ANGULAR CONTACT BEARINGS

Angular Contact Bearings – Most commonly used spindle bearings because of ease of assembly.

ISSUES:

Reduced Tool Holder Capabilities – Limited contact between rolling elements and race decrease side load capacity reducing the types of operations the tool holder can perform.

Increased Service Costs and Decreased Productivity – Angular bearings are more prone to wear from side-loads requiring more frequent maintenance service and more frequent replacement.



TAPERED ROLLER BEARINGS

Come standard in most Eppinger driven tools

SOLUTION:

Expanded Tool Holder Capabilities – Greater contact between the rolling elements and the race increases rigidity and side-load capacity allowing for more machining operations and higher metal removal rates.

Reduced Costs and Improved Productivity – More robust tapered roller bearings are not prone to accelerated wear as are angular contact bearings resulting in longer maintenance service intervals and less frequent replacement.

THE PRECI-FLEX® AND COMPENSATION CLUTCH ADVANTAGE

Greater Rigidity
Enhanced tool performance and longer tool life
Increased uptime
Quick adapter changes and presetting offline



INNOVATIVE DESIGNS

4-KEY PRESET ALIGNMENT

ISSUE:

Aligning the tool holder in a BMT tool station takes too much time.

Lost Productivity – Potential machining time is lost due to the need to align the tool.

Increased Cutting Tool Costs – Improperly aligned tooling reduces cutting tool life increasing costs.

Increased Scrap Costs – Improperly aligned tooling creates tolerance issues that may require time-consuming and expensive secondary operations or increased scrap rates.



SOLUTION:

Eppinger's patented 4-key preset alignment technology ensures correct alignment.

Improves Productivity – Properly aligning tool holders takes only seconds.


Reduces Costs – Properly aligned tool holders increase cutting tool life and reduce rework or scrap costs due to tolerance issues.

Improves Accuracy

1. Positioning repeatability < 0.005mm
2. Alignment to machine < 0.010mm

INNOVATIVE DESIGNS

COMPENSATION CLUTCH



ISSUE:


The centerline of the turret mill drive is often slightly misaligned with the centerline of the tool holder creating excessive vibration during operation.

Lost Time and Productivity – Premature wear on the tool holder drive assembly results in more frequent maintenance service.

Increased Maintenance Costs – More expensive and longer maintenance service is required as more drive components need to be replaced.

Reduced Cutting Tool Life – Increased vibration reduces cutting tool life drive up cutting tool costs.

Reduced Tool Holder Capabilities – Misalignment between the turret mill drive and the tool holder drive tang reduces contact area between these critical components resulting in less torque transmission that limits the capabilities of the tool holder.



SOLUTION:

Eppinger's patented Compensation Clutch technology automatically adjusts for misalignment between the turret mill drive and the tool holder drive tang dampening vibration.

Improves Productivity – Longer maintenance service intervals keep the tool holder in the machine instead of in the repair department.

Reduces Maintenance Service Costs – Fewer components need replacing during maintenance service, reducing service costs and shortening repair turn-around times.

Improves Cutting Tool Life – Less chatter results in longer tool life and reduced cutting tool costs.

Increased Tool Holder Capabilities – Contact between the turret mill drive and the tool holder drive tang is increased up to 60% providing for greater torque transmission that allows the tool holder to perform more operations.

INNOVATIVE DESIGNS

PRECI-FLEX[®]

EXPAND THE CAPABILITIES AND EFFICIENCY OF YOUR DRIVEN TOOLS

Eppinger Driven Tools come standard enabled to utilize our exclusive Preci-Flex[®] Modular Tooling System.



One Tool Holder, Many Tooling Options

Modular tool outputs include collet, collet chuck, shrink fit, side-lock, face mill holder, stubby, and mininut, and allow for a greater range of machining operations.

Improves Rigidity

Minimal projection increases rigidity to improve cutting tool performance and tool life.

Improves Productivity

Preci-Flex[®] adapters can be preset offline, and adapters can be changed quickly with the holder still in the turret increasing machine up-time.


INNOVATIVE DESIGNS

PRECI-FLEX®

TAPER & FACE CONTACT INCREASES RIGIDITY

SAVES TIME AND MONEY

Greater rigidity allows for more aggressive machining operations and higher metal removal rates.



ADVANTAGES

TAPER / FACE CONTACT

Taper According to DIN 6499

Standard-compliant precision and compatibility

Face Contact

Provides a large contact surface and ensures maximum stability and highest accuracy in combination with the taper

Easy to Clean

Fast and straightforward cleaning for efficient operation

4-SCREW MOUNTING

Front Mounting

Simplifies access and enables easy installation

Low Tightening Torque

Reduced effort (e.g., PRECI-FLEX 32: 6Nm vs. ER collet ER32: 104Nm)

No spindle Locking Required

Efficient operation without additional effort

High Pull force

Improves rigidity and ensures optimal power transmission

COLLET

Standard clamping Nut

Included in the delivery to enable direct use of the base holder

Double Hook Wrench

Attaches to the base holder, enabling easy and secure assembly


Table of Contents

TOOL HOLDER

DN Solutions / Eppinger BMT	PAGE 009	BMT 45
DN Solutions / Eppinger BMT	PAGE 021	BMT 55
DN Solutions / Eppinger BMT	PAGE 033	BMT 65
DN Solutions / Eppinger BMT	PAGE 047	BMT 75
DN Solutions / Eppinger BMT	PAGE 054	BMT 85
Muratec MD 60/120 MT12/200	PAGE 060	BMT 40
DMG Mori	PAGE 069	BMT 60
Okuma LB / LU2000-3000/LT3000 / MultusU3000-4000/Genos L300 / Okuma LB/LU4000 / Okuma LT3000EX	PAGE 078	BMT 60
Tsugami	PAGE 090	BMT 65
VDI Standard Face Turret / VDI Standard Face & Star Turret / VDI Star Turret / VDI Face & Star Turret DIN5480	PAGE 091	VDI 30
VDI Star Turret DIN 5480	PAGE 102	Trifix®30
VDI Face Turret DIN5482 / VDI Face Turret Baruffaldi	PAGE 105	VDI 30
VDI Standard Face Turret / VDI Standard Face & Star Turret / VDI Face & Star Turret DIN 5480 / VDI Star Turret	PAGE 107	VDI 40
VDI Star Turret DIN 5480	PAGE 119	Trifix®40
VDI Face Turret Okuma	PAGE 122	VDI 40
Adapter	PAGE 124	PRECI-FLEX®

BMT45 DN Solutions / Eppinger BMT

DRILLING AND MILLING HEAD STRAIGHT




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.073.120	1004082	LT/C/SS/BT45/PF20/1/EC	Collet / PRECI-FLEX®	20	1:1	6000	EC	-	straight (0°) single	●
7.073.358	1015798	LT/C/SS/BT45/PF20/1/EI	Collet / PRECI-FLEX®	20	1:1	6000	EC/IC	-	straight (0°) single	●

TOP SELLER many more designs available

BMT45 DN Solutions / Eppinger BMT

DRILLING AND MILLING HEAD ANGULAR




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.075.555	1013258	LT/LR/AS/BT45/ PF20/1/EC	Collet / PRECI-FLEX®	20	1:1	6000	EC	65	angled (90°), single	●
7.073.267	1004099	LT/L/AS/BT45/ PF20/1/EC	Collet / PRECI-FLEX®	20	1:1	6000	EC	65	angled (90°), single	●
7.075.556	1013475	LT/LR/AS/BT45/ PF20/1/EI	Collet / PRECI-FLEX®	20	1:1	6000	EC/IC	65	angled (90°), single	●
7.079.435	1032436	LT/L/AS/BT45/ PF20/1/EC	Collet / PRECI-FLEX®	20	1:1	12000	EC	65	angled (90°), single	◐

TOP SELLER many more designs available

BMT45 DN Solutions / Eppinger BMT

DRILLING AND MILLING HEAD ANGULAR OFFSET




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.075.005	1012724	LT/R/AO/BT45/ PF20/1/EC	Collet / PRECI-FLEX®	20	1:1	6000	EC	85	angled (90°), single	●
7.075.875	1015542	LT/R/AO/BT45/ PF20/1/EI	Collet / PRECI-FLEX®	20	1:1	6000	EC/IC	85	angled (90°), single	◐

TOP SELLER many more designs available

BMT45

DN Solutions / Eppinger BMT

DRILLING AND MILLING HEAD ANGULAR DOUBLE SIDED




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.075.684	1014070	LT/D/AO/BT45/ PF20/1/EC	Collet / PRECI-FLEX®	20	1:1	6000	EC	85	angled (90°), multiple	●

TOP SELLER many more designs available

BMT45 DN Solutions / Eppinger BMT

DRILLING AND MILLING HEAD ANGULAR ADJUSTABLE




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.174.746	1082337	LT/OF/OA/BT45/ PF16/1/EC	Collet	16	1:1	6000	EC	42,5	angular adjustable	

TOP SELLER many more designs available

BMT45

DN Solutions / Eppinger BMT

TURNING TOOL HOLDER STRAIGHT




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.074.610	1004910	FT/LR/SO/BT45/TM20/4/EC	turning tool	20	-	0	EC	-	straight (0°) single	●
7.079.175	1031367	FT/LR/SO/BT45/TM20/4/EI	turning tool	20	-	0	EC/IC	-	straight (0°) single	◐

TOP SELLER many more designs available

BMT45


DN Solutions / Eppinger BMT

TURNING TOOL HOLDER STRAIGHT MULTIPLE



Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.075.572	1013289	FT/D/SM/BT45/TM20/4/EC	turning tool	20	-	0	EC	-	straight (0°) multiple	●
7.173.122	1053229	FT/D/SM/BT45/TM20/4/EI	turning tool	20	-	0	EC/IC	-	straight (0°) multiple	●

TOP SELLER many more designs available




BMT 45

BMT45

DN Solutions / Eppinger BMT

TURNING TOOL HOLDER




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.074.616	1004927	FT/LR/AS/BT45/TM20/4/EC	turning tool	20	-	0	EC	40	angled (90°), single	●
7.079.177	1031373	FT/LR/SO/BT45/TM20/4/EI	turning tool	20	-	0	EC/IC	40	angled (90°), single	●

TOP SELLER many more designs available

BMT45


DN Solutions / Eppinger BMT

BORING BAR HOLDER ANGULAR



Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.074.255	1004895	FT/LR/AS/BT45/ CY32/4/EI	cylindrical chuck	32	-	0	EC/IC	65	angled (90°), single	●
7.079.028	1030535	FT/L/AS/BT45/ CY32/4/EI	cylindrical chuck	32	-	0	EC/IC	65	angled (90°), single	●
7.174.170	1068234	FT/LR/AS/BT45/ CY25/4/EI	cylindrical chuck	25	-	0	EC/IC	90	angled (90°), single	●
7.078.519	1027634	FT/LR/AS/BT45/ CY32/4/EI	cylindrical chuck	32	-	0	EC/IC	90	angled (90°), single	●
7.174.466	1077163	FT/LR/AS/BT45/ CY40/4/EI	cylindrical chuck	40	-	0	EC/IC	90	angled (90°), single	●

TOP SELLER many more designs available




BMT 45

BMT45

DN Solutions / Eppinger BMT

CUT-OFF TOOL HOLDER STRAIGHT




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.075.575	1013368	FT/LR/AS/BT45/GRT26/4/EC	cut-off and grooving tool	40	-	-	EC	90	straight(0°), single	●

TOP SELLER many more designs available

BMT45

DN Solutions / Eppinger BMT

CUT-OFF TOOL HOLDER STRAIGHT




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	turning direction	Design	Stock
1128654	1128654	FT/LR/SS/BT45/ GRT26/4/EI	cut-off and grooving tool	26	-	0	EC/IC	CW Clockwise (M3)	straight (0°) single	●
7.170.392	1036924	FT/LR/SS/BT45/ GRT26/4/EI	cut-off and grooving tool	26	-	0	EC/IC	CCW Clockwise (M4)	straight (0°) single	◐

TOP SELLER many more designs available

BMT45

DN Solutions / Eppinger BMT


BLANKING PLUG



Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.077.197	1021955	Blanking plug BMT45	-	-	-	-	-	-	-	●

TOP SELLER many more designs available

BLANKING PLATE




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.077.195	1021965	Blanking plate BMT45	-	-	-	-	-	-	-	●

TOP SELLER many more designs available

BMT55 DN Solutions / Eppinger BMT

DRILLING AND MILLING HEAD STRAIGHT




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.073.118	1002645	LT/C/SS/BT55/ PF25/1/EC	Collet / PRECI-FLEX®	25	1:1	6000	EC	-	straight (0°) single	●
7.073.360	1015837	LT/C/SS/BT55/ PF25/1/EI	Collet / PRECI-FLEX®	25	1:1	6000	EC/IC	-	straight (0°) single	●

TOP SELLER many more designs available

BMT55


DN Solutions / Eppinger BMT

DRILLING AND MILLING HEAD ANGULAR




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	LPR	Design	Stock
7.073.270	1004440	LT/LR/AS/BT55/PF25/1/EC	Collet / PRECI-FLEX®	25	1:1	6000	EC	70	104	angled (90°), single	●
7.073.361	1015908	LT/LR/AS/BT55/PF25/1/EI	Collet / PRECI-FLEX®	25	1:1	6000	EC/IC	70	104	angled (90°), single	●
7.073.280	1016468	LT/LR/AS/BT55/PF25/1/EC	Collet / PRECI-FLEX®	25	1:1	6000	EC	85	119	angled (90°), single	●
7.073.362	1016472	LT/LR/AS/BT55/PF25/1/EI	Collet / PRECI-FLEX®	25	1:1	6000	EC/IC	85	119	angled (90°), single	●

TOP SELLER many more designs available




BMT55 DN Solutions / Eppinger BMT

DRILLING AND MILLING HEAD ANGULAR OFFSET



Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	LPR	Design	Stock
7.073.611	1017068	LT/D/AO/BT55/PF25/1/EC	Collet / PRECI-FLEX®	25	1:1	12000	EC	70	121	angled (90°), multiple	
7.077.128	1021741	LT/D/AO/BT55/PF25/1/EC	Collet / PRECI-FLEX®	25	1:1	6000	EC	85	121	angled (90°), single	

TOP SELLER many more designs available




BMT 55

BMT55

DN Solutions / Eppinger BMT

DRILLING AND MILLING HEAD ANGULAR ADJUSTABLE




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.171.506	1041939	LT/OF/OA/BT55/ PF20/1/EC	Collet / PRECI-FLEX®	20	1:1	6000	EC	51	angled (90°), multiple	●
7.073.607	1022451	LT/OF/OA/BT55/ PF20/1/EC	Collet / PRECI-FLEX®	20	1:1	6000	EC	51	angled (90°), multiple	●

TOP SELLER many more designs available

BMT55


DN Solutions / Eppinger BMT

TURNING TOOL HOLDER STRAIGHT



Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.073.995	1013302	FT/LR/SO/BT55/TM25/4/EC	turning tool	25	-	0	EC	-	straight (0°) single	●
7.077.362	1022758	FT/L/SO/BT55/TM25/4/EC	turning tool	25	-	0	EC	-	straight (0°) single	●
7.174.257	1068333	FT/LR/SO/BT55/TM25/4/EI	turning tool	25	-	0	EC/IC	-	straight (0°) single	●

TOP SELLER many more designs available




BMT 55

BMT55

DN Solutions / Eppinger BMT

TURNING TOOL HOLDER STRAIGHT MULTIPLE




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.074.001	1015788	FT/D/SM/BT55/ TM25/4/EC	turning tool	25	-	0	EC	-	straight (0°) multiple	●

TOP SELLER many more designs available

BMT55 DN Solutions / Eppinger BMT

TURNING TOOL HOLDER ANGULAR




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.074.003	1013253	FT/LR/AS/BT55/TM25/4/EC	turning tool	25	-	0	EC	70	angled (90°), single	●

TOP SELLER many more designs availble

BMT55

DN Solutions / Eppinger BMT

BORING BAR HOLDER ANGULAR




Article number	Order ID	Search extension	Interface output	Size output	Coolant	LF dimension	LPR	Design	Stock
7.074.000	1008949	FT/LR/AS/BT55/ CY40/4/EI	cylindrical chuck	40	EC/IC	60	90	angled (90°), single	●
7.076.924	1020662	FT/LR/AM/BT55/ CY40/4/EI	cylindrical chuck	40	IC/EC	70	100	angled (90°), single	●

TOP SELLER many more designs available


BMT55 DN Solutions / Eppinger BMT

BORING BAR HOLDER ANGULAR



Article number	Order ID	Search extension	Interface output	Size output	Coolant	LF dimension	LPR	Design	Stock
7.075.598	1013543	FT/LR/AS/BT55/ CY40/4/EI	cylindrical chuck	40	EC/IC	85	115	angled (90°), single	●
7.074.067	1011440	FT/LR/AS/BT55/ CY40/4/EI	cylindrical chuck	40	EC/IC	100	130	angled (90°), single	●
7.078.815	1029019	FT/LR/AS/BT55/ CY32/4/EI	cylindrical chuck	32	EC/IC	100	130	angled (90°), single	●


TOP SELLER many more designs available



BMT55

DN Solutions / Eppinger BMT

BORING BAR HOLDER ANGULAR MULTIPLE




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.074.054	1018018	FT/LR/AM/BT55/ CY20/4/EI	cylindrical chuck	40	-	0	IC/EC	85	angled (90°), multiple	●

TOP SELLER many more designs available

BMT55

DN Solutions / Eppinger BMT


CUT-OFF TOOL HOLDER



Article number	Order ID	Search extension	Interface output	Size output	turning direction	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.078.820	1029084	FT/LR/SO/ BT55/ GRT32/4/EC	cut-off and grooving tool	32	*CCW (M04)	-	-	EC/IC	-	straight t (0°) single	●

TOP SELLER many more designs available

*convertible to CW (M03)




BMT 55

BMT55

DN Solutions / Eppinger BMT


BLANKING PLUG



Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.075.617	1013582	Blanking plug BMT55	-	-	-	-	-	-	-	●

TOP SELLER many more designs available

BLANKING PLATE




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.075.615	1013576	Blanking plate BMT55	-	-	-	-	-	-	-	●

TOP SELLER many more designs available

BMT65

DN Solutions / Eppinger BMT

DRILLING AND MILLING HEAD STRAIGHT




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.073.240	1005770	LT/C/SS/BT65/ PF32/1/EC	Collet / PRECI-FLEX®	ER32A	1:1	5000	EC	-	straight (0°) single	●
7.073.364	1008222	LT/C/SS/BT65/ PF32/1/EI	Collet / PRECI-FLEX®	ER32A	1:1	5000	EC/IC	-	straight (0°) single	●

TOP SELLER many more designs available

BMT65 DN Solutions / Eppinger BMT

DRILLING AND MILLING HEAD ANGULAR




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	LPR	Design	Stock
7.073.271	1006316	LT/LR/AS/BT65/PF32/1/EC	Collet / PRECI-FLEX®	32	1:1	5000	EC	72	110	angled (90°), single	●
7.073.365	1008348	LT/LR/AS/BT65/PF32/1/EI	Collet / PRECI-FLEX®	32	1:1	5000	EC/IC	72	110	angled (90°), single	●
7.073.282	1006320	LT/LR/AS/BT65/PF32/1/EC	Collet / PRECI-FLEX®	32	1:1	5000	EC	100	138	angled (90°), single	●
1088878	1088878	LT/LR/AS/BT65/PF32/1/EC	Collet / PRECI-FLEX®	32	1:1	9000	EC	100	138	angled (90°), single	◐
7.073.366	1008532	LT/LR/AS/BT65/PF32/1/EI	Collet / PRECI-FLEX®	32	1:1	5000	EC/IC	100	138	angled (90°), single	●

TOP SELLER many more designs available

BMT65

DN Solutions / Eppinger BMT

DRILLING AND MILLING HEAD ANGULAR OFFSET




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.170.645	1038199	LT/LR/AO/BT65/ PF32/1/EC	Collet / PRECI-FLEX®	32	1:1	5000	EC	103	angled (90°), single	
7.073.367	1008709	LT/R/AO/BT65/ PF32/1/EI	Collet / PRECI-FLEX®	32	1:1	5000	EC/IC	86	angled (90°), single	

TOP SELLER many more designs available

BMT65 DN Solutions / Eppinger BMT

DRILLING AND MILLING HEAD ANGULAR DOUBLE SIDED




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.073.612	1005333	LT/D/AO/BT65/ PF32/1/EC	Collet / PRECI-FLEX®	32	1:1	5000	EC	100	angled (90°), multiple	●

TOP SELLER many more designs available

BMT65


DN Solutions / Eppinger BMT

DRILLING AND MILLING HEAD ANGULAR ADJUSTABLE



Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.073.608	1013169	LT/OF/OA/BT65/ PF20/1/EC	Collet / PRECI-FLEX®	20	1:1	5000	EC	60	angled (90°), multiple	


TOP SELLER many more designs available



BMT 65


BMT65 DN Solutions / Eppinger BMT

TURNING TOOL HOLDER STRAIGHT



Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.074.010	1005773	FT/LR/SO/BT65/TM25/4/EC	turning tool	25	-	0	EC	-	straight (0°) single	●
7.170.742	1038756	FT/LR/SO/BT65/TM25/4/EI	turning tool	25	-	0	EC/IC	-	straight (0°) single	●


TOP SELLER many more designs available



BMT65

DN Solutions / Eppinger BMT

TURNING TOOL HOLDER STRAIGHT MULTIPLE




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.074.015	1015820	FT/LR/SM/BT65/TM25/4/EC	turning tool	25	-	0	EC	-	straight (0°) multiple	●

TOP SELLER many more designs available


BMT65 DN Solutions / Eppinger BMT

TURNING TOOL HOLDER ANGULAR



Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.074.017	1009942	FT/LR/AS/BT65/TM25/4/EC	turning tool	25	-	0	EC	70	angled (90°), single	●
1127046	1127046	FT/LR/AS/BT65/TM25/4/EI	turning tool	25	-	0	EC/IC	70	angled (90°), single	●


TOP SELLER many more designs available



BMT65

DN Solutions / Eppinger BMT

BORING BAR HOLDER STRAIGHT




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.075.040	1010391	FT/C/SS/BT65/ CY40/4/EI	cylindrical chuck	40	-	0	IC/EC	-	straight (0°) single	●

TOP SELLER many more designs available

BMT65

DN Solutions / Eppinger BMT

BORING BAR HOLDER ANGULAR OFFSET




Article number	Order ID	Search extension	Interface output	Size output	Coolant	LF dimension	LPR	Design	Stock
7.075.803	1014945	FT/LR/AO/BT65/ CY40/4/EI	cylindrical chuck	40	EC/IC	100	135	angled (90°), single	●
7.074.065	1014942	FT/LR/AS/BT65/ CY40/4/EI	cylindrical chuck	40	EC/IC	115	145	angled (90°), single	●

TOP SELLER many more designs available

BMT65

DN Solutions / Eppinger BMT


BORING BAR HOLDER ANGULAR



Article number	Order ID	Search extension	Interface output	DCONN	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.074.030	1022620	FT/LR/AS/BT65/ CY40/4/EI	cylindrical chuck	40	-	0	IC/EC	72	angled (90°), single	●
7.170.000	1035468	FT/L/AS/BT65/ CY50/4/EI	cylindrical chuck	50	-	0	IC/EC	72	angled (90°), single	●

TOP SELLER many more designs available

BMT65 DN Solutions / Eppinger BMT
CUT-OFF TOOL HOLDER



Article number	Order ID	Search extension	Interface output	Size output	Coolant	LF dimension	Direction	Design	Stock
7.075.950	1016291	FT/LR/SS/BT65/ GRT32/4/EI	cut-off and grooving tool	32	EC/IC	-	*CCW Clockwise (M4)	straight (0°) single	●


TOP SELLER many more designs available

*convertible to CW Clockwise M3

BMT65


DN Solutions / Eppinger BMT

CUT-OFF TOOL HOLDER



Article number	Order ID	Search extension	Interface output	Size output	Coolant	LF dimension	Direction	Design	Stock
7.170.043	1035581	FT/LR/SS/BT65/ GRT32/4/EI	cut-off and grooving tool	32	EC/IC	-	CW Clockwise (M3)	straight (0°) single	●

TOP SELLER many more designs available




BMT 65

BMT65

DN Solutions / Eppinger BMT


BLANKING PLUG



Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.079.478	1032792	Blanking plug BMT65	-	-	-	-	-	-	-	●


TOP SELLER many more designs available

BLANKING PLATE



Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.079.480	1032774	Blanking plate BMT65	-	-	-	-	-	-	-	●


TOP SELLER many more designs available



BMT75


DN Solutions / Eppinger BMT

DRILLING AND MILLING HEAD STRAIGHT



Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.073.245	1007711	LT/C/SS/BT75/ PF40/1/EC	Collet / PRECI-FLEX®	40	1:1	4000	EC	-	straight (0°) single	●
7.073.369	1015924	LT/C/SS/BT75/ PF40/1/EI	Collet / PRECI-FLEX®	40	1:1	4000	EC/IC	-	straight (0°) single	●


TOP SELLER many more designs available



BMT 75

BMT75 DN Solutions / Eppinger BMT

DRILLING AND MILLING HEAD ANGULAR




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	LPR	Design	Stock
7.073.275	1005214	LT/L/AS/BT75/PF40/1/EC	Collet / PRECI-FLEX®	40	1:1	4000	EC	60	107	angled (90°), single	●
7.073.370	1015983	LT/L/AS/BT75/PF40/1/EI	Collet / PRECI-FLEX®	40	1:1	4000	EC/IC	60	107	angled (90°), single	●
7.073.340	1016519	LT/L/AS/BT75/PF40/1/EC	Collet / PRECI-FLEX®	40	1:1	4000	EC	90	137	angled (90°), single	●
7.073.341	1028888	LT/L/AS/BT75/PF40/1/EI	Collet / PRECI-FLEX®	40	1:1	4000	EC/IC	90	137	angled (90°), single	●
7.076.850	1020423	LT/L/AS/BT75/PF40/1/EC	Collet / PRECI-FLEX®	40	1:1	3000	EC	110	157	angled (90°), single	●

TOP SELLER many more designs available


BMT75 DN Solutions / Eppinger BMT

TURNING TOOL HOLDER STRAIGHT




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.074.632	1004999	FT/L/SO/BT75/TM25/4/EC	turning tool	25	-	0	EC	-	straight (0°) single	●

TOP SELLER many more designs available



BMT75 DN Solutions / Eppinger BMT

TURNING TOOL HOLDER STRAIGHT




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.077.140	1021750	FT/LR/SO/BT75/TM32/4/EC	turning tool	32	-	0	EC	-	straight (0°) single	●

TOP SELLER many more designs available

BMT75 DN Solutions / Eppinger BMT

TURNING TOOL HOLDER ANGULAR




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.074.628	1004991	FT/LR/AS/BT75/TM25/4/EC	turning tool	25	-	0	EC	25?	angled (90°), single	●
7.077.435	1023013	FT/LR/AS/BT75/TM32/4/EC	turning tool	32	-	0	EC	28	angled (90°), single	●

TOP SELLER many more designs available

BMT75

DN Solutions / Eppinger BMT

BORING BAR HOLDER ANGULAR




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.074.637	1005003	FT/LR/AS/BT75/ CY60/4/EI	cylindrical chuck	60	-	0	EC/IC	60	angled (90°), single	●

TOP SELLER many more designs available

BMT75


DN Solutions / Eppinger BMT

BLANKING PLATE



Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.079.484	1032787	Blanking plate BMT75	-	-	-	-	-	-	-	


TOP SELLER many more designs available



BMT85


DN Solutions / Eppinger BMT

DRILLING AND MILLING HEAD STRAIGHT



Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.073.250	1007909	LT/C/SS/BT85/PF50/1/EC	Collet / PRECI-FLEX®	50	1:1	4000	EC	-	straight (0°) single	●
7.073.371	1016023	LT/C/SS/BT85/PF50/1/EI	Collet / PRECI-FLEX®	50	1:1	3500	EC/IC	-	straight (0°) single	●


TOP SELLER many more designs available



BMT 85

BMT85 DN Solutions / Eppinger BMT

DRILLING AND MILLING HEAD ANGULAR




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Clutch Style	Design	Stock
7.071.875	1074064	LT/L/AS/ BT85/ PF50/1/EI	Collet / PRECI-FLEX®	ER50A	1:1	3500	EC/IC	85	no CC	angled (90°), single	●
7.073.277	1003873	LT/L/AS/ BT85/ PF50/1/EC	Collet / PRECI-FLEX®	ER50A	1:1	4000	EC	85	CC	angled (90°), single	●
7.073.372	1016041	LT/L/AS/ BT85/ PF50/1/EI	Collet / PRECI-FLEX®	ER50A	1:1	3500	EC/IC	85	CC	angled (90°), single	●
7.073.330	1031629	LT/L/AS/ BT85/ PF50/1/EC	Collet / PRECI-FLEX®	ER50A	1:1	3500	EC	135	CC	angled (90°), single	●
7.073.561	1035816	LT/L/AS/ BT85/ PF50/1/EI	Collet / PRECI-FLEX®	ER50A	1:1	3000	EC/IC	135	CC	angled (90°), single	◐

TOP SELLER many more designs available


BMT85 DN Solutions / Eppinger BMT

TURNING TOOL HOLDER STRAIGHT



Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.074.550	1004978	FT/L/SO/BT85/TM32/4/EC	turning tool	32	-	0	EC	-	straight (0°) single	●


TOP SELLER many more designs available



BMT85

DN Solutions / Eppinger BMT

TURNING TOOL HOLDER ANGULAR




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.074.630	1005066	FT/LR/AS/BT85/TM32/4/EC	turning tool	32	-	0	EC	40	angled (90°), single	●

TOP SELLER many more designs available

BMT85 DN Solutions / Eppinger BMT

BORING BAR HOLDER ANGULAR



Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.074.635	1005090	FT/L/AS/BT85/ CY80/4/EI	cylindrical chuck	80	-	0	EC/IC	85	angled (90°), single	●

TOP SELLER many more designs available




BMT 85



BMT85

DN Solutions / Eppinger BMT


BLANKING PLUG



Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.079.486	1032796	Blanking plug BMT85	-	-	-	-	-	-	-	


TOP SELLER many more designs available

BLANKING PLATE




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.079.488	1032798	Blanking plate BMT85	-	-	-	-	-	-	-	

TOP SELLER many more designs available



BMT40 Muratec MD60/120

DRILLING AND MILLING HEAD ANGULAR OFFSET




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.172.335	1052027	LT/LR/SO/BT40/PF25/1/EC	Collet / PRECI-FLEX®	25	1:1	4000	EC	90	straight (0°) single	
7.172.336	1052695	LT/LR/SO/BT40/PF25/1/EI	Collet / PRECI-FLEX®	25	1:1	4000	EC/IC	91	straight (0°) single	

TOP SELLER many more designs available

BMT40 DMG Mori


DRILLING AND MILLING HEAD STRAIGHT



Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.075.800	1014913	LT/C/SS/BT40/PF25/1/EC	Collet / PRECI-FLEX®	25	1:1	12000	EC	-	straight (0°) single	●
7.075.705	1013989	LT/C/AS/BT40/PF25/1/EI	Collet / PRECI-FLEX®	25	1:1	12000	EC/IC	-	straight (0°) single	●


TOP SELLER many more designs available

DRILLING AND MILLING HEAD ANGULAR




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.076.180	1017145	LT/LR/AS/BT40/PF25/1/EI	Collet / PRECI-FLEX®	25	1:1	12000	EC	85	angled (90°), single	●
7.076.175	1017125	LT/LR/AS/BT40/PF25/1/EC	Collet / PRECI-FLEX®	25	1:1	12000	EC/IC	85	angled (90°), single	●

TOP SELLER many more designs available




BMT40 DMG Mori

DRILLING AND MILLING HEAD ANGULAR DOUBLE SIDED




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.076.198	1017374	LT/D/AS/BT40/PF25/1/EC	Collet / PRECI-FLEX®	25	1:1	12000	EC	85	angled (90°), multiple	
7.174.488	1077185	LT/D/AS/BT40/PF25/1/EI	Collet / PRECI-FLEX®	25	1:1	8000	EC/IC	85	angled (90°), multiple	

TOP SELLER many more designs available



BMT40 DMG Mori

TURNING TOOL HOLDER STRAIGHT




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.079.566	1033238	FT/L/SO/BT40/TM20/4/EI	turning tool	20	-	-	EC/IC	-	straight (0°) single	●

TOP SELLER many more designs available

BMT40 DMG Mori

TURNING TOOL HOLDER STRAIGHT MULTIPLE




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.079.610	1033593	FT/D/SM/BT40/TM20/4/EI	turning tool	20	-	-	EC/IC	-	straight (0°) multiple	●

TOP SELLER many more designs available

BMT40 DMG Mori

TURNING TOOL HOLDER ANGULAR




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.073.650	1032737	FT/LR/AS/BT40/TM20/4/EC	turning tool	20	-	-	EC	90	angled (90°), single	

TOP SELLER many more designs available

BMT40 DMG Mori

BORING BAR TOOL HOLDER ANGULAR OFFSET




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.073.731	1013566	FT/LR/AS/BT40/ CY32/4/EI	cylindrical chuck	32	-	-	EC/IC	100	angled (90°), single	●

TOP SELLER many more designs available

BMT40 DMG Mori

CUT-OFF TOOL HOLDER




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	Turning direction	Design	Stock
7.079.750	1034264	FT/LR/SO/BT40/ GRT32/4/EI	cut-off and grooving tool	32	-	-	EC/IC	CW Clockwise (M3)	straight (0°) single	●

TOP SELLER many more designs available

BMT40 DMG Mori

BLANKING PLUG



Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.170.208	1036246	Blanking plug DMGMORI BMT40	-	-	-	-	-	-	-	

TOP SELLER many more designs available




BMT 40

EPPINGER


BMT60 DMG Mori

DRILLING AND MILLING HEAD STRAIGHT



Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.072.195	1014066	LT/C/SS/BT60/ PF40/1/EC	Collet / PRECI-FLEX®	40	1:1	8000	EC	-	straight (0°) single	●
7.072.245	1018855	LT/C/SS/BT60/ PF40/1/EI	Collet / PRECI-FLEX®	40	1:1	8000	EC/IC	-	straight (0°) single	◐


TOP SELLER many more designs available



BMT 60


BMT60 DMG Mori

DRILLING AND MILLING HEAD ANGULAR




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.072.275	1014243	LT/LR/AS/BT60/PF40/1/EC	Collet / PRECI-FLEX®	40	1:1	8000	EC	90	angled (90°), single	●
7.072.280	1034381	LT/LR/AS/BT60/PF40/1/EI	Collet / PRECI-FLEX®	40	1:1	8000	EC/IC	90	angled (90°), single	●

TOP SELLER many more designs available



BMT60 DMG Mori

DRILLING AND MILLING HEAD ANGULAR DOUBLE SIDED




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.072.325	1028304	LT/D/AS/BT60/ PF40/1/EC	Collet / PRECI-FLEX®	ER40A	1:1	12000	EC	90	angled (90°), multiple	

TOP SELLER many more designs available

BMT60 DMG Mori

DRILLING AND MILLING HEAD ANGULAR ADJUSTABLE




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.072.320	1038619	LT/OF/OA/BT60/PF32/1/EC	Collet / PRECI-FLEX®	ER32A	1:1	5000	EC	65	angled (90°), multiple	

TOP SELLER many more designs available

BMT60 DMG Mori


TURNING TOLL HOLDER



Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
1127678	1127678	FT/L/SO/BT60/TM25/4/EI	turning tool	25	-	0	IC/EC	-	straight (0°) single	●


TOP SELLER many more designs available

TURNING TOOL HOLDER STRAIGHT MULTIPLE




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
1127677	1127677	FT/D/SM/BT60/TM25/4/EI	turning tool	25	-	0	IC/EC	-	straight (0°) multiple	●

TOP SELLER many more designs available



BMT60 DMG Mori

TURNING TOOL HOLDER




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.072.675	1025499	FT/LR/AS/BT60/TM25/4/EC	turning tool	25	-	0	EC	75	angled (90°), single	

TOP SELLER many more designs available

BMT60 DMG Mori

BORING BAR HOLDER ANGULAR




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.072.668	1024966	FT/LR/AS/BT60/CY40/4/EI	cylindrical chuck	40	-	0	EC/IC	90	angled (90°), single	●

TOP SELLER many more designs available

BMT60 DMG Mori

CUT-OFF TOOL HOLDER



Article number	Order ID	Search extension	Interface output	Size output	Direction	RPM Output	Coolant	LF dimension	Design	Stock
7.170.230	1036362	FT/LR/SO/BT60/GRT32/4/EI	cut-off and grooving tool	32	CW Clockwise (M3)	-	EC/IC	-	straight (0°) single	●

TOP SELLER many more designs available




BMT 60

EPPINGER


BMT60 DMG Mori

BLANKING BLANC




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.170.210	1036255	Blanking blanc DMGMORI BMT60	-	-	-	-	-	-	-	

TOP SELLER many more designs available



BMT60 Okuma LB/LU2000-3000 / MultusU3000-4000 / Genos L300

DRILLING AND MILLING HEAD STRAIGHT




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.073.000	1014775	LT/C/SS/BT60/PF32/1/EC	Collet / PRECI-FLEX®	32	1:1	6000	EC	-	straight (0°) single	●
7.073.170	1010264	LT/C/SS/BT60/PF32/1/EI	Collet / PRECI-FLEX®	32	1:1	6000	EC/IC	-	straight (0°) single	●

TOP SELLER many more designs available

BMT60

Okuma LB2000/2500/3000EX / MultusU3000-4000 / Genos L300

DRILLING AND MILLING HEAD ANGULAR




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.073.085	1017974	LT/LR/AS/BT60/PF32/1/EC	Collet / PRECI-FLEX®	32	1:1	6000	EC	70	angled (90°), single	●
7.073.180	1008386	LT/LR/AS/BT60/PF32/1/EI	Collet / PRECI-FLEX®	32	1:1	6000	EC/IC	70	angled (90°), single	●

TOP SELLER many more designs available

BMT60

Okuma LB/LU2000-3000 / MultusU3000-4000 / Genos L300

DRILLING AND MILLING HEAD ANGULAR DOUBLE SIDED




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.073.710	1020504	LT/D/AS/BT60/PF32/1/EC	Collet / PRECI-FLEX®	ER32A	1:1	6000	EC	70	angled (90°), multiple	

TOP SELLER many more designs available

BMT60

Okuma LB/LU2000-3000 / MultusU3000-4000 / Genos L300

TURNING TOOL HOLDER STRAIGHT




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.073.328	1035198	FT/L/SO/BT60/TM25/4/EC	turning tool	25	-	0	EC	-	straight (0°) single	●
1125316	1125316	FT/L/SO/BT60/TM25/4/EI	turning tool	25	-	0	EC/IC	-	straight (0°) single	◐

TOP SELLER many more designs available

BMT60

Okuma LB/LU2000-3000 / MultusU3000-4000 / Genos L300

TURNING TOOL HOLDER STRAIGHT MULTIPLE



Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.073.332	1014348	FT/LR/SM/BT60/TM25/4/EC	turning tool	25	-	0	EC	-	straight (0°) multiple	●
7.173.285	1054876	FT/LR/SM/BT60/TM25/4/EI	turning tool	25	-	0	EC/IC	-	straight (0°) multiple	◐


TOP SELLER many more designs available



BMT60


Okuma LB/LU2000-3000 / MultusU3000-4000 / Genos L300

BORING BAR HOLDER ANGULAR



Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.073.326	1029808	FT/LR/AS/BT60/ CY40/4/EI	cylindrical chuck	40	-	0	EC/IC	90	angled (90°), single	●

TOP SELLER many more designs available




BMT 60

BMT60

Okuma LB/LU2000-3000 / MultusU3000-4000 / Genos L300

CUT-OFF TOOL HOLDER




Article number	Order ID	Search extension	Interface output	Size output	Direction	RPM Output	Coolant	LF dimension	Design	Stock
7.171.902	1043316	FT/LR/SS/BT60/GRT32/4/EI	cut-off and grooving tool	32	CW Clockwise (M3)	-	EC/IC	-	straight (0°) single	●

TOP SELLER many more designs available


BMT60 Okuma LB/LU2000-3000 / MultusU3000-4000 / Genos L300

BLANKING PLUG




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.073.475	1020517	Blanking plug Okuma BMT60	-	-	-	-	-	-	-	

TOP SELLER many more designs available



BMT60 Okuma LB/LU4000EX

DRILLING AND MILLING HEAD ANGULAR




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.073.395	1024619	LT/LR/AS/BT60/PF40/1/EI	Collet / PRECI-FLEX®	40	1:1	6000	EC/IC	85	angled (90°), single	

TOP SELLER many more designs available

BMT60 Okuma LB/LU4000EX

TURNING TOOL HOLDER STRAIGHT




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.073.402	1016133	FT/L/SO/BT60/TM25/4/EC	turning tool	25	-	0	EC	-	straight (0°) single	●

TOP SELLER many more designs available

BMT60 Okuma LB/LU4000

BORING BAR HOLDER ANGULAR




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.076.080	1016584	FT/LR/AS/BT60/CY50/4/EI	cylindrical chuck	50	-	0	EC/IC	90	angled (90°), single	●
7.073.404	1016129	FT/LR/AS/BT60/CY40/4/EI	cylindrical chuck	40	-	0	EC/IC	90	angled (90°), single	●

TOP SELLER many more designs available

BMT60


Okuma LT3000EX

BORING BAR HOLDER ANGULAR



Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.077.286	1022589	FT/D/AM/BT60/ CY40/4/EI	cylindrical chuck	40	-	0	EC/IC	110	angled (90°), single	●


TOP SELLER many more designs available



BMT 60

BMT65 Tsugami

DRILLING AND MILLING HEAD ANGULAR




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.078.100	1026175	LT/LR/AS/BT65/PF32/1/EC	Collet / PRECI-FLEX®	32	1:1	5000	EC	72	angled (90°), single	●

TOP SELLER many more designs available

VDI30 VDI Face Turret


TURNING TOOL HOLDER, RIGHT



Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
212.100.150	1014489	FT/R/AS/VI30/TM20/4/EC	turning tool	20	-	0	EC	22	angled (90°), single	●
212.105.150	1014495	FT/R/AS/VI30/TM20/4/EC	turning tool	20	-	0	EC	22	angled (90°), single overhead	●
222.100.150	1014822	FT/R/AS/VI30/TM20/4/EC	turning tool	20	-	0	EC	22	angled (90°), single long	●

TOP SELLER many more designs available

TURNING TOOL HOLDER, LEFT



Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
212.115.150	1014547	FT/L/AS/VI30/TM20/4/EC	turning tool	20	-	0	EC	22	angled (90°), single	●


TOP SELLER many more designs available



VDI30

VDI30 VDI Face Turret

BORING BAR HOLDER STRAIGHT




Article number	Order ID	Search extension	Interface output	DCONN	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
212.015.150	1017267	FT/C/SS/VI30/ CY8/4/EI	boring bar	8	-	0	IC/EC	-	straight (0°) single	●
212.015.151	1017265	FT/C/SS/VI30/ CY10/4/EI	boring bar	10	-	0	IC/EC	-	straight (0°) single	●
212.015.152	1017237	FT/C/SS/VI30/ CY12/4/EI	boring bar	12	-	0	IC/EC	-	straight (0°) single	●
212.015.153	1017258	FT/C/SS/VI30/ CY16/4/EI	boring bar	16	-	0	IC/EC	-	straight (0°) single	●
212.015.154	1017259	FT/C/SS/VI30/ CY20/4/EI	boring bar	20	-	0	IC/EC	-	straight (0°) single	●
212.015.155	1017264	FT/C/SS/VI30/ CY25/4/EI	boring bar	25	-	0	IC/EC	-	straight (0°) single	●
212.015.157	1028509	FT/C/SS/VI40/ CY32/4/EI	boring bar	32	-	0	IC/EC	-	straight (0°) single	●

TOP SELLER many more designs available

VDI30 VDI Face Turret

TURNING TOOL HOLDER FOR CARBIDES INDEXABLE DRILL




Article number	Order ID	Search extension	Interface output	DCONN	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
222.048.220	1048426	FT/C/SS/VI30/BB16/4/IC	Carbide Indexable Drill	16	-	-	IC	-	straight (0°) single	●
222.050.150	1048472	FT/C/SS/VI30/BB20/4/IC	Carbide Indexable Drill	20	-	-	IC	-	straight (0°) single	●
222.055.150	1048497	FT/C/SS/VI30/BB32/4/IC	Carbide Indexable Drill	32	-	-	IC	-	straight (0°) single	●
222.060.220	1048590	FT/C/SS/VI30/BB40/4/IC	Carbide Indexable Drill	40	-	-	IC	-	straight (0°) single	●

TOP SELLER many more designs available

VDI30 VDI Face Turret

TURNING TOOL HOLDER STRAIGHT FOR COLLET CHUCK




Article number	Order ID	Search extension	CZCWS (Collet)	DCONN DCONX	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
222.040.090	1053161	FT/C/SS/VI30/CO25/4/IC	430E(ER25)	1-16	-	-	IC	-	straight (0°) single	●
222.035.220	1075761	FT/C/SS/VI30/CO32/4/IC	470E(ER32)	2-20	-	-	IC	-	straight (0°) single	●

TOP SELLER many more designs available

VDI30 VDI Face & Star Turret

TURNING TOOL HOLDER STRAIGHT




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
212.120.150	1014550	FT/R/SO/VI30/TM20/4/EC	turning tool	20	-	0	EC	-	straight (0°) single	●
212.125.150	1014551	FT/R/SO/VI30/TM20/4/EC	turning tool	20	-	0	EC	-	straight single, overhead	●

TOP SELLER many more designs available

VDI30 VDI Face & Star Turret DIN 5480

DRILLING AND MILLING HEAD STRAIGHT




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
3.200.625	1020172	LT/C/SS/VI30/ PF25/1/EC	Collet / PRECI-FLEX®	ER25A	1:1	6000	EC	-	straight (0°) single	●
3.200.690	1015018	LT/C/SS/VI30/ PF25/1/EI	Collet / PRECI-FLEX®	ER25A	1:1	6000	EC/IC	-	straight (0°) single	●

TOP SELLER many more designs available

VDI30 VDI Face & Star Turret DIN 5480

DRILLING AND MILLING HEAD ANGULAR




Article number	Order ID	Search extension	Interface output	Direction	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
3.200.637	1021335	LT/L/AS/VI30/ PF25/1/EC	Collet / PRECI-FLEX®	left (only)	ER25A	1:1	6000	EC	100	angled (90°), single	●
3.200.673	1021458	LT/LR/AS/ VI30/ PF25/1/EC	Collet / PRECI-FLEX®	left-right (or)	ER25A	1:1	6000	EC	100	angled (90°), single	●
3.200.737	1020520	LT/L/AS/VI30/ PF25/1/EI	Collet / PRECI-FLEX®	left (only)	ER25A	1:1	6000	EC/IC	100	angled (90°), single	●
3.200.700	1021339	LT/L/AS/VI30/ PF25/1/EI	Collet / PRECI-FLEX®	left (only)	ER25A	1:1	6000	EC/IC	100	angled (90°), single	●
3.200.636	1021321	LT/R/AS/VI30/ PF25/1/EC	Collet / PRECI-FLEX®	right (only)	ER25A	1:1	6000	EC	100	angled (90°), single	●
3.200.701	1021324	LT/R/AS/VI30/ PF25/1/EC	Collet / PRECI-FLEX®	right (only)	ER25A	1:1	6000	EC	100	angled (90°), single	●
3.200.705	1021342	LT/LR/AS/ VI30/ PF25/1/EC	Collet / PRECI-FLEX®	left-right (or)	ER25A	1:1	6000	EC	100	angled (90°), single	●
3.200.706	1014953	LT/LR/AS/ VI30/PF25/1/EI	Collet / PRECI-FLEX®	left-right (or)	ER25A	1:1	6000	EC/IC	100	angled (90°), single	●

TOP SELLER many more designs available



VDI30 VDI Face & Star Turret DIN 5480

DRILLING AND MILLING HEAD ANGULAR OFFSET




Article number	Order ID	Search extension	Interface output	Size output	Direction	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
3.200.671	1021381	LT/LR/AO/ VI30/ PF25/1/EC	Collet / PRECI- FLEX®	ER25A	left-right (or)	1:1	6000	EC	85	angled (90°), single	●

TOP SELLER many more designs available

VDI30 VDI Star Turret

TURNING TOOL HOLDER STRAIGHT MULTIPLE



Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.030.638	1011532	FT/D/SM/VI30/TM20/4/EC	turning tool	20	-	0	EC	-	straight (0°) multiple	●


TOP SELLER many more designs available



VDI30

VDI30 VDI Star Turret

BORING BAR HOLDER ANGULAR




Article number	Order ID	Search extension	Interface output	DCONN	Ratio	Coolant	LF	LPR	Design	Stock
7.030.239	1031583	FT/LR/AS/VI30/ CY25/4/EI	cylindrical chuck	25	-	EC/IC	100	125	angled (90°), single	●
7.030.240	1031582	FT/LR/AS/VI30/ CY32/4/EI	cylindrical chuck	32	-	EC/IC	100	125	angled (90°), single	●
7.030.241	1031539	FT/LR/AS/VI30/ CY40/4/EI	cylindrical chuck	40	-	EC/IC	100	125	angled (90°), single	●

TOP SELLER many more designs available

VDI30 VDI Star Turret


CUT-OFF TOOL HOLDER



Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	Turning direction	Design	Stock
7.030.750	1034478	FT/LR/SO/VI30/ GRT26/4/EI	cut-off and grooving tool	32	-	-	EC/IC	CW Clockwise (M3)	straight (0°) single	●

TOP SELLER many more designs available

CUT-OFF TOOL HOLDER



Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	Turning direction	Design	Stock
7.030.757	1034480	FT/LR/SO/VI30/ GRT26/4/EI	cut-off and grooving tool	32	-	-	EC/IC	CCW Counterclockwise (M4)	straight (0°) single	●


TOP SELLER many more designs available



VDI30

Trifix®30 VDI Star Turret DIN 5480

DRILLING AND MILLING HEAD ANGULAR




Article number	Order ID	Search extension	Interface output	Size output	Direction	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
3.201.108	1023383	LT/R/AS/TR30/PF25/1/EC	Collet / PRECI-FLEX®	ER25A	RH (righthand)	1:1	12000	EC	100	angled (90°), single	
3.201.110	1023391	LT/R/AS/TR30/PF25/1/EI	Collet / PRECI-FLEX®	ER25A	RH (righthand)	1:1	12000	EC/IC	100	angled (90°), single	
3.201.112	1023409	LT/L/AS/TR30/PF25/1/EC	Collet / PRECI-FLEX®	ER25A	LH (lefthand)	1:1	12000	EC	100	angled (90°), single	
3.201.114	1023423	LT/L/AS/TR30/PF25/1/EI	Collet / PRECI-FLEX®	ER25A	LH (lefthand)	1:1	12000	EC/IC	100	angled (90°), single	

TOP SELLER many more designs available

Trifix® 30 VDI Star Turret DIN 5480

DRILLING AND MILLING HEAD ANGULAR DOUBLE SIDED




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
3.201.122	1023663	LT/D/AS/TR30/ PF25/1/EC	Collet / PRECI-FLEX®	ER25A	1:1	12000	EC	100	angled (90°), multiple	●

TOP SELLER many more designs available

Trifix®30 VDI Star Turret DIN 5480

BORING BAR HOLDER ANGULAR




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.030.692	1023854	FT/LR/AS/TR30/ CY32/4/EI	cylindrical chuck	32	-	0	IC/EC	100	angled (90°), single	

TOP SELLER many more designs available

VDI30 VDI Face Turret DIN 5482

DRILLING AND MILLING HEAD STRAIGHT




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
3.200.626	1035057	LT/C/SS/VI30/ PF25/1/EC	Collet / PRECI-FLEX®	ER25A	1:1	6000	EC	-	straight (0°) single	●

TOP SELLER many more designs available

VDI30 VDI Face Turret Baruffaldi

DRILLING AND MILLING HEAD STRAIGHT




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
3.200.755	1035129	LT/C/SS/VI30/PF25/1/EC	Collet / PRECI-FLEX®	ER25A	1:1	6000	EC	-	straight (0°) single	●
3.200.757	1035165	LT/C/SS/VI30/PF25/1/EI	Collet / PRECI-FLEX®	ER25A	1:1	6000	EC/IC	-	straight (0°) single	●

TOP SELLER many more designs available

VDI40


VDI Face Turret

TURNING TOOL HOLDER ANGULAR



Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
213.100.150	1014574	FT/R/AS/VI40/TM25/4/EC	turning tool	25	-	-	EC	22	angled (90°), single	●

TOP SELLER many more designs available



Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
213.105.150	1014576	FT/R/AS/VI40/TM25/4/EC	turning tool	25	-	-	EC	22	angled (90°), single	●


TOP SELLER many more designs available



VDI40

VDI40 VDI Face & Star Turret

TURNING TOOL HOLDER STRAIGHT



Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
213.120.150	1025929	FT/R/SO/VI40/TM25/4/EC	turning tool	25	-	0	EC	-	straight (0°) single	●
213.125.150	1026954	FT/R/SO/VI40/TM25/4/EC	turning tool	25	-	0	EC	-	straight (0°) single	●


TOP SELLER many more designs available



VDI40

VDI Face Turret

BORING BAR HOLDER STRAIGHT




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
213.015.150	1025475	FT/C/SS/VI40/ CY8/4/EI	boring bar	8	-	0	IC/EC	-	straight (0°) single	●
213.015.151	1025804	FT/C/SS/VI40/ CY10/4/EI	boring bar	10	-	0	IC/EC	-	straight (0°) single	●
213.015.152	1025843	FT/C/SS/VI40/ CY12/4/EI	boring bar	12	-	0	IC/EC	-	straight (0°) single	●
213.015.153	1025844	FT/C/SS/VI40/ CY16/4/EI	boring bar	16	-	0	IC/EC	-	straight (0°) single	●
213.015.154	1025845	FT/C/SS/VI40/ CY20/4/EI	boring bar	20	-	0	IC/EC	-	straight (0°) single	●
213.015.155	1025846	FT/C/SS/VI40/ CY25/4/EI	boring bar	25	-	0	IC/EC	-	straight (0°) single	●
213.015.157	1025855	FT/C/SS/VI40/ CY32/4/EI	boring bar	32	-	0	IC/EC	-	straight (0°) single	●
213.015.158	1025856	FT/C/SS/VI40/ CY40/4/EI	boring bar	40	-	0	IC/EC	-	straight (0°) single	●

TOP SELLER many more designs available

VDI40 VDI Face Turret

TURNING TOOL HOLDER FOR CARBIDES INDEXABLE DRILL




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
223.050.150	1041682	FT/C/SS/VI40/BB20/4/IC	carbide indexable drill	20	-	-	IC	-	straight (0°) single	●
223.052.150	1041672	FT/C/SS/VI40/BB25/4/IC	carbide indexable drill	25	-	-	IC	-	straight (0°) single	●
223.055.150	1041669	FT/C/SS/VI40/BB32/4/IC	carbide indexable drill	32	-	-	IC	-	straight (0°) single	●
223.060.150	1041662	FT/C/SS/VI40/BB40/4/IC	carbide indexable drill	40	-	-	IC	-	straight (0°) single	●

TOP SELLER many more designs available

VDI40 VDI Face Turret Adapter

TURNING TOOL HOLDER STRAIGHT FOR COLLET CHUCK




Article number	Order ID	Search extension	CZCWS (Collet)	DCONN DCONX	Ratio	RPM Output	Coolant	LPR	Design	Stock
223.040.220	1042655	FT/C/SS/VI40/CO25/4/IC	430E(ER25)	1-16	-	-	IC	min. 71,5 max. 75	traight (0°) single	●
223.035.220	1043108	FT/C/SS/VI40/CO32/4/IC	470E(ER32)	1-20	-	-	IC	min. 71,5 max. 75	straight (0°) single	●
223.045.220	1069798	FT/C/SS/VI40/CO40/4/IC	472E(ER40)	3-26	-	-	IC	min. 71,5 max. 75	straight (0°) single	●

TOP SELLER many more designs available

VDI40 VDI Face & Star Turret

BLANKING PLUG




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
213.500.001	1004077	Blanking plug Z2 VDI40 K	-	-	-	-	-	-	-	●

TOP SELLER many more designs availble

VDI40 VDI Face & Star Turret DIN 5480

DRILLING AND MILLING HEAD STRAIGHT




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
4.200.870	1020377	LT/C/SS/VI40/PF32/1/EC	Collet / PRECI-FLEX®	ER32A	1:1	5000	EC	-	straight (0°) single	●
4.200.875	1020588	LT/C/SS/VI40/PF32/1/EI	Collet / PRECI-FLEX®	ER32A	1:1	5000	IC/EC	-	straight (0°) single	●

TOP SELLER many more designs available

VDI40 VDI Face & Star Turret DIN 5480

DRILLING AND MILLING HEAD ANGULAR




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
4.200.900	1020380	LT/R/AS/VI40/PF32/1/EC	Collet / PRECI-FLEX®	ER32A	1:1	5000	EC	100	angled (90°), single	●
4.201.000	1020601	LT/R/AS/VI40/PF32/1/EI	Collet / PRECI-FLEX®	ER32A	1:1	5000	EC/IC	100	angled (90°), single	●
4.200.902	1020764	LT/R/AS/VI40/PF32/1/EC	Collet / PRECI-FLEX®	ER32A	1:1	5000	EC	120	angled (90°), single	●
4.201.004	1020770	LT/R/AS/VI40/PF32/1/EI	Collet / PRECI-FLEX®	ER32A	1:1	5000	EC/IC	120	angled (90°), single	●

TOP SELLER many more designs available

VDI40 VDI Face Turret DIN 5480

DRILLING AND MILLING HEAD ANGULAR OFFSET




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
9.707.267	1020453	LT/R/AO/VI40/ PF32/1/EC	Collet / PRECI-FLEX®	ER32A	1:1	5000	EC	100	angled (90°), single	
9.709.267	1020574	LT/R/AO/VI40/ PF32/1/EI	Collet / PRECI-FLEX®	ER32A	1:1	5000	EC/IC	100	angled (90°), single	

TOP SELLER many more designs available

VDI40 VDI Star Turret DIN 5480

DRILLING AND MILLING HEAD STRAIGHT



Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
4.201.544	1021270	LT/C/SS/VI40/PF32/1/EC	Collet / PRECI-FLEX®	ER32A	1:1	10000	EC	-	straight (0°) single	●
4.201.543	1021336	LT/C/SS/VI40/PF32/1/EI	Collet / PRECI-FLEX®	ER32A	1:1	10000	EC/IC	-	straight (0°) single	●


TOP SELLER many more designs available



VDI40

VDI40 VDI Star Turret


TURNING TOOL HOLDER ANGULAR MULTIPLE



Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.040.856	1024109	FT/OF/SM/VI40/TM25/4/EC	turning tool	25	-	0	EC	-	straight (0°) multiple	●

TOP SELLER many more designs available

TURNING TOOL HOLDER ANGULAR MULTIPLE




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
1112625	1112625	Werkzeughalter abg mehr 25 VDI40	turning tool	25	-	0	EC	65	angled (90°) multiple	◐

TOP SELLER many more designs available



VDI40 VDI Star Turret

TURNING TOOL HOLDER ANGULAR




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.040.412	1029426	FT/LR/AS/VI40/TM25/4/EC	turning tool	25	-	-	EC	68	angled (90°), single	●

TOP SELLER many more designs available

Trifix® 40 VDI Star Turret DIN 5480

DRILLING AND MILLING HEAD ANGULAR




Article number	Order ID	Search extension	Interface output	Size output	Direction	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
4.201.605	1024314	LT/L/AS/TR40/PF32/1/EC	Collet / PRECI-FLEX®	ER32A	LH (lefthand)	1:1	10000	EC	120	angled (90°), single	●
4.201.607	1024317	LT/L/AS/TR40/PF32/1/EI	Collet / PRECI-FLEX®	ER32A	LH (lefthand)	1:1	10000	IC/EC	120	angled (90°), single	◐
4.201.610	1024321	LT/R/AS/TR40/PF32/1/EC	Collet / PRECI-FLEX®	ER32A	RH (righthand)	1:1	10000	EC	120	angled (90°), single	●
4.201.612	1024323	LT/R/AS/TR40/PF32/1/EI	Collet / PRECI-FLEX®	ER32A	RH (righthand)	1:1	10000	IC/EC	120	angled (90°), single	●

TOP SELLER many more designs available

Trifix® 40 VDI Star Turret DIN 5480

DRILLING AND MILLING HEAD ANGULAR DOUBLE SIDED




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
4.201.615	1024335	LT/D/AS/TR40/PF32/1/EC	Collet / PRECI-FLEX®	ER32A	1:1	10000	EC	120	angled (90°), multiple	●
4.201.845	1068459	LT/D/AS/TR40/PF32/1/EI	Collet / PRECI-FLEX®	ER32A	1:1	10000	EC/IC	120	angled (90°), multiple	●

TOP SELLER many more designs available



Trifix® 40 VDI Star Turret DIN 5480

BORUNG BAR HOLDER ANGULAR




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
7.040.843	1021606	FT/LR/AS/TR40/ CY40/4/EI	cylindrical chuck	40	-	0	EC/IC	120	angled (90°), single	●

TOP SELLER many more designs available


VDI40 Okuma Face Turret

DRILLING AND MILLING HEAD STRAIGHT



Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
4.200.866	1027491	LT/C/SS/VI40/ PF32/1/EC	Collet / PRECI-FLEX®	ER32A	1:1	5000	EC	-	straight (0°) single	

TOP SELLER many more designs available




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
4.201.082	1031378	LT/C/SS/VI40/ PF32/1/EC	Collet / PRECI-FLEX®	ER32A	1:1	5000	EC	-	straight (0°) single	
4.200.952	1031375	LT/C/SS/VI40/ PF32/1/EI	Collet / PRECI-FLEX®	ER32A	1:1	5000	EC/IC	-	straight (0°) single	
4.201.087	1031370	LT/L/AS/VI40/ PF32/1/EI	Collet / PRECI-FLEX®	ER32A	1:1	4000	EC/IC	-	straight (0°) single	

TOP SELLER many more designs available




VDI40 Okuma Face Turret

DRILLING AND MILLING HEAD ANGULAR



Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
4.201.087	1031370	LT/L/AS/VI40/ PF32/1/EI	Collet / PRECI-FLEX®	ER32A	1:1	4000	EC/IC	90	angled (90°), single	

TOP SELLER many more designs available




Article number	Order ID	Search extension	Interface output	Size output	Ratio	RPM Output	Coolant	LF dimension	Design	Stock
4.200.864	1030800	LT/L/AS/VI40/ PF32/1/EC	Collet / PRECI-FLEX®	ER32A	1:1	4000	EC	75	angled (90°), single	
4.200.950	1040011	LT/L/AS/VI40/ PF32/1/EI	Collet / PRECI-FLEX®	ER32A	1:1	5000	EC/IC	75	angled (90°), single	

TOP SELLER many more designs available



PRECIFLEX® Adapter

ADAPTER COLLET CHUCK STANDARD




CZCMS	Article number	Order ID	CZCWS (Collet)	DCONN DCONX	BD1	DF	LPR	LSCN	LBD1	Stock
20	2001-0089	1032574	426E(ER16)	0,5-10	22	43	30	45	23,5	●
20	2001-0090	1012996	428E(ER20)	1-13	28	43	30	45	23,5	●
25	2501-0080	1011290	426E(ER16)	0,5-10	28	50	30	48,6	21,2	●
25	2501-0349	1028499	428E(ER20)	1-13	28	50	32	50,5	23,1	●
25	2501-0081	1025058	430E(ER25)	1-16	35	50	34,5	53	25,6	●
32	3201-0026	1013588	430E(ER25)	1-16	35	58	32,5	55	23,6	●
32	3201-0027	1012956	470E(ER32)	2-20	50	58	48	72	39,1	●
32	3201-1034	1037895	430E(ER25)	1-16	35	58	90	112,5	81,1	●
40	4001-0348	1025289	470E(ER32)	2-20	50	70	48	68	37,6	●
40	4001-0091	1017298	472E(ER40)	3-26	63	70	56	76	45,6	●
50	5001-0504	1012552	470E(ER32)	2-20	50	95	50	80	36,2	●
50	5001-0249	1023523	472E(ER40)	3-26	63	95	44,5	74,5	30,7	●

TOP SELLER many more designs available

PRECI-FLEX® Adapter

ADAPTER COLLET CHUCK EXTENDED




CZCMS	Article number	Order ID	CZCWS (Collet)	DCONN DCONX	BD1	DF	LPR	LSCN	LBD1	Stock
20	2002-0092	1016845	4008E(ER11)	0,5-7	16	17	30	40	23,5	●
20	2002-0666	1023889	4008E(ER11)	0,5-7	16	27	55	65	48,5	●
20	2002-0550	1016953	426E(ER16)	0,5-10	22	22	39	49	32,5	●
20	2002-0549	1016877	426E(ER16)	0,5-10	22	22	50	60	43,5	●
25	2502-0082	1019647	4008E(ER11)	0,5-7	16	21	40	48,5	31,1	●
25	2502-0419	1025083	4008E(ER11)	0,5-7	16	21	70	48,5	61,6	●
25	2502-1056	1039717	426E(ER16)	0,5-10	28	50	70	-	59,7	●
25	2502-1163	1051879	430E(ER25)	0,5-16	35	50	58,9	-	58,9	●
25	2502-0498	1011298	426E(ER16)	0,5-10	28	20	58,9	48,6	50	●
32	3202-0025	1013613	426E(ER16)	0,5-10	22	32	47,5	57	38,6	●
32	3202-1204	1068329	428E(ER20)	2-13	28	58	50	51,5	41	●
32	3202-0397	1013622	426E(ER16)	0,5-10	22	32	62,5	72	53,6	●
40	4002-0425	1034332	426E(ER16)	0,5-10	22	38	60	56,3	49,6	●
40	4002-0093	1012923	428E(ER20)	1-13	28	38	60	66,5	49,6	●
40	4002-0426	1034334	430E(ER25)	1-16	35	38	60	66,5	49,6	●

TOP SELLER many more designs available

PRECIFLEX® Adapter

ADAPTER COLLET CHUCK (Inside Nut)




CZCMS	Article number	Order ID	CZCWS (Collet)	DCONN DCONX	BD1	DF	LPR	LSCN	LBD1	Stock
25	2515-0404	1028515	428E(ER20)	1-13	36	50	16,5	43,5	7,6	●
40	4015-0408	1025333	470E(ER32)	2-20	48	70	18,1	53,4	7,7	●

TOP SELLER many more designs available

PRECI-FLEX® Adapter

ADAPTER WELDON STANDARD




CZCMS	Article number	Order ID	DCONN	BD1	DF	LPR	LSCN	LBD1	Stock
20	2003-0094	1025025	6	27	43	14	35,7	7,5	●
20	2003-0095	1004073	8	27	43	14	35	7,5	●
20	2003-0096	1004004	10	27	43	16	38,3	9,5	●
20	2003-0150	1021331	12	27	43	18,5	42,6	12	●
20	2003-0151	1021345	12,7	27	43	18,5	42,6	12	●
25	2503-0056	1005193	6	25	50	12	35,5	3,1	●
25	2503-0057	1004180	8	28	50	12	35,5	3,1	●
25	2503-0058	1024626	10	32	50	14	39	5,1	●
25	2503-0059	1024628	12	32	50	17	43,5	7,8	●
25	2503-0060	1023369	16	32	50	18	45	9,1	●
25	2503-0102	1052483	15,88	32	50	18	44,8	9,1	●

TOP SELLER many more designs available

PRECIFLEX® Adapter

ADAPTER WELDON STANDARD




CZCMS	Article number	Order ID	DCONN	BD1	DF	LPR	LSCN	LBD1	Stock
32	3203-0001	1022921	6	25	58	12	36	3,1	●
32	3203-0002	1022936	8	28	58	12	36	3,1	●
32	3203-0003	1003937	10	35	58	14	40	5,1	●
32	3203-0004	1033548	12	40	58	16,5	44,3	7,6	●
32	3203-0275	1022953	14	40	58	16,5	44,3	7,6	●
32	3203-0005	1006393	16	40	58	18	46	9,1	●
32	3203-0321	1022960	18	40	58	18	46	9,1	●
32	3203-0033	1022395	20	40	58	19	47	10,1	●
32	3203-0107	1040244	19,05	40	58	19	47,4	10,1	●

TOP SELLER many more designs available

PRECI-FLEX® Adapter

ADAPTER WELDON STANDARD




CZCMS	Article number	Order ID	DCONN	BD1	DF	LPR	LSCN	LBD1	Stock
40	4003-0108	1012103	6	25	70	12	36,3	1,6	●
40	4003-0109	1034354	8	28	70	12	36,3	1,6	●
40	4003-0110	1034355	10	35	70	14	40,3	3,6	●
40	4003-0111	1034428	12	42	70	16,5	44,5	6,1	●
40	4003-0112	1034431	16	48	70	18	46,5	7,6	●
40	4003-0113	1034435	20	48	70	19	47,8	8,6	●
40	4003-0114	1017307	25	48	70	18	53,3	7,6	●
40	4003-0413	1034439	14	42	70	16,5	44,5	6,1	●
40	4003-0120	1041909	25,4	48	70	18	49,9	7,6	●

TOP SELLER many more designs available

PRECI-FLEX® Adapter

ADAPTER WELDON STANDARD




CZCMS	Article number	Order ID	DCONN	BD1	DF	LPR	LSCN	LBD1	Stock
50	5003-0486	1008940	10	66	95	14	44,5	0,2	●
50	5003-0250	1017543	16	66	95	14	47,7	0,2	●
50	5003-0251	1073602	20	66	95	14	47,7	0,2	●
50	5003-0252	1028381	25	66	95	14	54,3	0,2	●
50	5003-0253	1028385	32	66	95	14	57,3	0,2	●
50	5003-0306	1031743	25,5	66	95	14	50,7	0,2	●
50	5003-0307	1028389	31,75	66	95	14	50,7	0,2	●

TOP SELLER many more designs available

PRECI-FLEX® Adapter

ADAPTER WELDON EXTENDED




CZCMS	Article number	Order ID	DCONN	BD1	DF	LPR	LSCN	LBD1	Stock
20	2004-0181	1025034	6	27	43	33	35,8	26,5	●
20	2004-0182	1025037	8	27	43	33	35,8	26,5	●
20	2004-0183	1025043	10	27	43	33	38,9	26,5	●
20	2004-0184	1073603	12	27	43	33	43,4	26,5	●
20	2004-0320	1073947	14	27	43	33	43,4	26,5	●
20	2004-0332	1030256	16	27	43	33	43,4	26,5	●
25	2504-0061	1025130	6	25	50	40	36	31,1	●
25	2504-0062	1025132	8	28	50	40	36	31,1	●
24	2504-0063	1025134	10	32	50	40	40	31,1	●
25	2504-0064	1004163	12	32	50	40	44,3	31,1	●
25	2504-0065	1028492	16	32	50	40	46	31,1	●
25	2504-0300	1034159	18	36	50	40	45,8	31,1	●
25	2504-0301	1023397	20	40	50	43	48,8	31,1	●
25	2504-0445	1004085	25	40	50	48,2	54	34,1	●

TOP SELLER many more designs available

PRECI-FLEX® Adapter

ADAPTER WELDON EXTENDED




CZCMS	Article number	Order ID	DCONN	BD1	DF	LPR	LSCN	LBD1	Stock
32	3204-0006	1033620	6	25	58	40	36	31,1	●
32	3204-0398	1033631	6	25	58	60	36	51,1	●
32	3204-0007	1033622	8	28	58	40	36	31,1	●
32	3204-0008	1033626	10	35	58	40	40	31,1	●
32	3204-0009	1011345	12	40	58	40	44,5	31,1	●
32	3204-0499	1011347	14	40	58	40	44,3	31,1	●
32	3204-0010	1032480	16	40	58	40	46	31,1	●
32	3204-0034	1033614	20	40	58	40	49	31,1	●
32	3204-0279	1033632	25	40	58	40	54	31,1	●

TOP SELLER many more designs available

PRECIFLEX® Adapter

ADAPTER WELDON EXTENDED




CZCMS	Article number	Order ID	DCONN	BD1	DF	LPR	LSCN	LBD1	Stock
40	4004-0197	1034600	6	25	70	40	36	29,6	●
40	4004-0198	1034610	8	28	70	40	36	29,6	●
40	4004-0200	1034613	12	42	70	40	44,7	29,6	●
40	4004-0427	1034618	14	42	70	40	44,5	29,6	●
40	4004-0201	1034616	16	48	70	40	46,5	29,6	●
40	4004-0202	1034617	20	48	70	40	48	29,6	●
40	4004-0203	1034620	25	48	70	40	53,5	29,6	●
40	4004-0501	1011536	32	55	70	50	59,3	39,6	●

TOP SELLER many more designs available

PRECIFLEX® Adapter

ADAPTER SHRINK FIT




CZCMS	Article number	Order ID	DCONN	BD1	DF	LPR	LSCN	LBD1	A1	A2	Stock
25	2514-0997	1035106	6	27	50	29	7,9	7,9	8°	45°	●
25	2514-0354	1034277	6	32	50	29	7,9	9,5	8°	45°	●
25	2514-0359	1034283	16	32	50	29	7,9	9,5	8°	45°	●
32	3214-0362	1034142	10	38	58	35	7,9	9,5	8°	45°	●

TOP SELLER many more designs available

PRECIFLEX® Adapter

ADAPTER SHELL MILL ARBOR (Transverse Drive and Key)




CZCMS	Article number	Order ID	DCONN	BD1	DF	LPR	LSCN	Stock
20	2007-0234	1024905	16	32	43	34,5	17	●
20	2007-0412	1024911	22	40	43	36,5	19	●
20	2007-0235	1024915	12,7	27	43	29,5	14	●
25	2507-0083	1017533	16	32	50	34,5	17	●
25	2507-0084	1023412	22	40	50	38,5	19	●
25	2507-0395	1033420	27	46	50	41	21	●
25	2507-0262	1033434	19,05	39	50	34,5	17	●
32	3207-0023	1023787	16	32	58	34,5	17	●
32	3207-0024	1022254	22	39	58	38,5	19	●
32	3207-0331	1023790	27	48	58	41	21	●
32	3207-0237	1073676	19,05	39	58	34,5	17	●
40	4007-0238	1031872	16	32	70	35	17	●
40	4007-0239	1017324	22	40	70	39	16	●
40	4007-0276	1031871	27	48	70	41	21	●
40	4007-0241	1031982	19,05	40	70	35	17	●
50	5007-0258	1031855	22	40	95	41	19	●
50	5007-0259	1031857	27	48	95	43	21	●
50	5007-0303	1073804	25,4	48	95	39	17	●

TOP SELLER many more designs available

PRECI-FLEX® Adapter


ADAPTER BORING BAR HOLDER



CZCMS	Article number	Order ID	DCONN	BD1	DF	LPR	LSCN	LBD1	Stock
25	2508-0076	1004150	8	32	50	24	51	15,1	●
25	2508-0079	1034275	16	32	50	24	51	15,1	●

TOP SELLER many more designs available


TEST MANDREL



CZCMS	Article number	Order ID	DCONN	DF	LPR	LPD1	Stock
32	3210-0011	1034098	20	58	110	101,1	●

PRECIFLEX® Adapter


ADAPTER DECO-FLEX-INTERFACE



CZCMS	Article number	Order ID	CZCWS	BD1	DF	LF dimension	LPR	Stock
25	2517-0521	1014083	20	32,4	50	10,4	14	●
32	3217-1089	1042614	20	32,4	58	10,4	14	●

TOP SELLER many more designs available

HYDRAULIC EXPANSION CHUCK




CZCMS	Article number	Order ID	DCONN	DF	LPR	LSCN	Stock
20	2013-0311	1073916	12	45	22	2013-0311=37	●
25	2513-0315	1019405	12	52	20	2513-0315=41	●
32	3213-0309	1032053	20	60	25	3213-0309=45	●


TOP SELLER many more designs available

TOOL HOLDER

TOOLING SYSTEMS




BMT 40




BMT 45



BMT 55




BMT 60




BMT 65




BMT 75




BMT 85




Trifix® 30



Trifix® 40



VDI30



VDI40



PRECI-FLEX®

**RELIABILITY
PRECISION
INNOVATION.**

Contact us for more information.

ESA EPPINGER GmbH
Breitwiesenweg 2-8 73770 Denkendorf
Germany
Phone: +49 711 934 934-0
info@eppinger.de www.eppinger.de

Specifications and information contained within
this catalogue may be changed without prior notice
Version 30/08/2026