

PRECIFLEX[®]

INDUSTRY-LEADING QUICK-CHANGE SYSTEM
BASED ON ER COLLET

SAFE. PRECISE. UNIVERSAL.



The Original: Innovation made by EPPINGER

The Proven Solution for Demanding Machining Applications

Some things simply don't get better – they are the best from the very beginning! The PRECI-FLEX® interface from EPPINGER has revolutionized manufacturing and established itself as the industry standard for precision and flexibility. This is because the base holder, designed according to DIN 6499, is universally and flexibly compatible with both ER collets and a wide range of PRECI-FLEX® adapters.

Advantages:

Taper/ Face Contact


- + **Taper According to DIN 6499**
Standard-compliant precision and compatibility
- + **Face Contact**
Provides a large contact surface and ensures maximum stability and highest accuracy in combination with the taper
- + **Easy to Clean**
Fast and straightforward cleaning for efficient operation

4-Screw Mounting

- + **Front Mounting**
Simplifies access and enables easy installation
- + **Low Tightening Torque**
Reduced effort (e.g., PRECI-FLEX® 32: 6 Nm vs. ER collet ER32: 104 Nm)
- + **No Spindle Locking Required**
Efficient operation without additional effort
- + **High Pull Force**
Improves rigidity and ensures optimal power transmission

Collet

- + **Standard Clamping Nut**
Included in the delivery to enable direct use of the base holder
- + **Double Hook Wrench**
Attaches to the base holder, enabling easy and secure assembly





PRECIFLEX®

ensures efficient and precise machining in manufacturing.




Tool

Suitable for proven tool clamping technology: PRECI-FLEX® and ER collets

The EPPINGER base holder is compatible with both ER collets and a wide range of PRECI-FLEX® adapters – whether Weldon, Whistle Notch, shrink fit chuck, hydraulic expansion chuck, collet chuck, milling arbor, etc.

Easy and Secure Assembly

Simple front mounting, low tightening torque (e.g., 6 Nm for ER25), and high resulting pull force.



Quick-change systems



Tool holder

Maximum safety thanks to PRECI-FLEX®

The taper/face contact ensures optimal fit accuracy – for better power transmission, repeatability, and rigidity during the machining process.



EASY ASSEMBLY: FRONT INSTALLATION, SIMPLE AND SECURE



**RELIABILITY.
PRECISION.
INNOVATION.**

Contact us for
more information.

ESA EPPINGER GmbH
Breitwiesenweg 2-8 · 73770 Denkendorf
Germany
Phone: +49 711 934 934-0
info@eppinger.de · www.eppinger.de